# schwegmann 🕻

Trade name : Revision date : Print date : SCHWEGO<sup>®</sup> wett 6290 30.07.2018 30.07.2018

Version (Revision) : Supersedes date : 3.2.0 (3.1.1) 30.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Product identifier
	SCHWEGO <sup>®</sup> wett 6290 (6290)
1.2	Relevant identified uses of the substance or mixture and uses advised against
	Relevant identified uses
	Wetting additive
	Dispersing additive
1.3	Details of the supplier of the safety data sheet
	Supplier (manufacturer/importer/only representative/downstream
	user/distributor)
	Bernd Schwegmann GmbH & Co. KG
	Street : Wernher-von-Braun-Str. 14
	Postal code/city: DE-53501 Grafschaft-Gelsdorf
	Telephone: +49 22 25 / 92 26-0
	<b>Telefax :</b> +49 22 25 / 92 26-48
	e-mail address of competent person for MSDS: MSDS@SchwegmannNet.de
1.4	
	+49 (0) 61 31 / 19 24 0 (POISON CENTER, 24 h in English and German)
2.1	CTION 2: Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4; H302 - Acute toxicity (oral) : Category 4; Harmful if swallowed.
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07)
2.1 2.2	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07) Signal word
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07) Signal word Warning
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07) Signal word
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07) Signal word Warning Hazard components for labelling
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms
2.1	Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Exclamation mark (GHS07) Signal word Warning Hazard components for labelling Aromatic polymeric alkoxylate Hazard statements H302 Harmful if swallowed. Precautionary statements
2.1	Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.         Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms         Factamation mark (GHS07)         Signal word         Warning         Hazard components for labelling         Aromatic polymeric alkoxylate         Hazard statements         H302       Harmful if swallowed.         Precautionary statements         P264       Wash hands thoroughly after handling.
2.1	Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.         Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms         Facard pictograms         Exclamation mark (GHS07)         Signal word         Warning         Hazard optimeric alkoxylate         Hazard statements         H302       Harmful if swallowed.         Precautionary statements         P264       Wash hands thoroughly after handling.         P270       Do no eat, drink or smoke when using this product.
2.1	Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.         Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms         Facard pictograms         Exclamation mark (GHS07)         Signal word         Warning         Hazard components for labelling         Aromatic polymeric alkoxylate         Hazard statements         H302       Harmful if swallowed.         Pecutionary statements         P264       Wash hands thoroughly after handling.         P270       Do no eat, drink or smoke when using this product.         P301+P310       IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
2.1	Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Acute Tox. 4 ; H302 - Acute toxicity (oral) : Category 4 ; Harmful if swallowed.         Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms         Facard pictograms         Exclamation mark (GHS07)         Signal word         Warning         Hazard optimeric alkoxylate         Hazard statements         H302       Harmful if swallowed.         Precautionary statements         P264       Wash hands thoroughly after handling.         P270       Do no eat, drink or smoke when using this product.

## SECTION 3: Composition / information on ingredients

Page : 1 / 8

# SCHWEGmann 🕻

Trade name : Revision date : Print date : SCHWEGO<sup>®</sup> wett 6290 30.07.2018 30.07.2018

Version (Revision) : Supersedes date : 3.2.0 (3.1.1) 30.07.2018

### 3.2 Mixtures

#### **Hazardous ingredients**

 Aromatic polymeric alkoxylate ; EC/List No. : -Polymer 

 Weight fraction :
 ≥ 35 - < 50 %</td>

 Classification 1272/2008 [CLP] :
 Acute Tox. 4 ; H302

#### Additional information

Full text of H- and EUH-phrases: see section 16.

#### 3.3 Additional information

Materials that are listed in the so-called "Candidate List of Substances of Very High Concern (SVHC) for authorisation<sup>3</sup> ", issued by the ECHA, are not intentionally any part of this product. It is therefore not to be expected that such materials are present in quantities  $\geq 0,1$  % in the product.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice.

#### **Following inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap. In case of skin reactions, consult a physician.

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Protect uninjured eye.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician in any case!

# **4.2 Most important symptoms and effects, both acute and delayed** See section 2.

### **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water mist.

#### Unsuitable extinguishing media Full water jet

# 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO $_{2}).$ 

## 5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

# SCHWEGmann 🕻

Trade name :	SCHWEGO <sup>®</sup> wett 6290
Revision date :	30.07.2018
Print date :	30.07.2018

Version (Revision) : Supersedes date :

3.2.0 (3.1.1) 30.07.2018

	Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen.
	Move undamaged containers from immediate hazard area if it can be done safely.
	Use water spray jet to protect personnel and to cool endangered containers.
	Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
EC	TION 6: Accidental release measures
.1	Personal precautions, protective equipment and emergency procedures
	For non-emergency personnel
	Remove persons to safety. Provide adequate ventilation. See protective measures under chapter 7 and 8.
	For emergency responders
	Prevent spread over a wide area (e.g. by containment or oil barriers). Personal protection equipment: see section 8
5.2	Environmental precautions
	Clear spills immediately. Do not allow to enter into soil/subsoil. Cover drains. Do not allow to enter into surface water or drains.
5.3	Methods and material for containment and cleaning up
	Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal.
	Other information
	Special danger of slipping by leaking/spilling product.
.4	Reference to other sections
	Safe handling: see section 7 Disposal: see section 13
SEC	TION 7: Handling and storage
7.1	Precautions for safe handling
	Protective measures
	When using do not eat, drink, smoke, sniff. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 <sup>1</sup> .
	Measures to prevent fire
	No flammable liquid according to BetrSichV.
<b>'.2</b>	Conditions for safe storage, including any incompatibilities
	Technical measures and storage conditions
	Make sure spills can be contained, e.g. in sump pallets or kerbed areas. Floors should be impervious, resistant to liquids and easy to clean. No ground outlets on containers.
	Packaging materials
	Keep/Store only in original container.
	Requirements for storage rooms and vessels
	Protect containers against damage. Keep in a cool, well-ventilated place.
	Hints on joint storage
	Storage class (LGK): 10
	Do not store together with
	Ovidising agent strong

#### 7.3 Specific end use(s)

Observe technical data sheet.

Oxidising agent, strong.

## SECTION 8: Exposure controls/personal protection

# schwegmann 🕻

Trade name : Revision date : Print date : SCHWEGO<sup>®</sup> wett 6290 30.07.2018 30.07.2018

Version (Revision) : Supersedes date : 3.2.0 (3.1.1) 30.07.2018

#### 8.1 Control parameters

Occupational exposure limit values None

#### 8.2 Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

#### Personal protection equipment

#### Eye/face protection

Eye glasses with side protection

#### Skin protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

#### Hand protection

Suitable material : Butyl caoutchouc (butyl rubber)

**Breakthrough time (maximum wearing time)** : > 14400 s (LEVEL 5)

#### Thickness of the glove material (mm) : 0,5

Additional hand protection measures : Wear cotton undermitten if possible.

**Remark** : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

#### **Respiratory protection**

Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Suitable respiratory protection apparatus: Combination filtering device (EN 14387) A - P 2

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state : liquid

**Colour :** light yellow , clear - cloudy

#### Odour

characteristic

#### Safety relevant basis data

Flow time :	(23 °C)	>	65	S	ISO 2431 (Flow cup 3 mm)
Melting point/melting range :	( 1013 hPa )	<	0	°C	
Initial boiling point and boiling range :	( 1013 hPa )	>	200	°C	Literature value
Decomposition temperature :			No data available		
Flash point :		>	100	°C	ISO 1523
Ignition temperature :			No data available		DIN 51794
Lower explosion limit :			0,6	Vol-%	Literature value
Upper explosion limit :			20,4	Vol-%	Literature value
Vapour pressure :	( 50 °C )	<	0,01	bar	(calculated)
Density :	( 20 °C )		0,98 - 1,01	g/cm <sup>3</sup>	ISO 2811-1
Vapour density :	( 20 °C )		No data available		
Relative density (aqua = 1) :	( 20 °C )		0,98 - 1,01		
Water solubility :	( 20 °C )	>	20	g/l	(calculated)
PH :	( 20 °C / 100 g/l )		6,5 - 8,5		DIN 19268
log P <sub>o/w</sub> :			1,52		Literature value,

# SCHWEGmann 🕻

Trade name :	SCHWEGO <sup>®</sup> wett 6290		
Revision date :	30.07.2018	Version (Revision) :	3.2.0 (3.1.1)
Print date :	30.07.2018	Supersedes date :	30.07.2018

Vapourisation rate :		No data available		solvent Literature value, solvent	
Maximum VOC content (EC) :		0	Wt %	Directive 2010/75/EU	
Maximum VOC content (Switzerland) :		0	Wt %	(calculated)	
Flammable solids :	Not applicable.				
Oxidising liquids :	Not oxidising.				
Explosive properties :	Not explosive according to EU A.14.				

#### 9.2 Other information

The VOC concentration was calculated by a method analogical to standard ISO11890-1. The designation of explosive limits refers to the flammable mixture constituents and not to the overall product. Additional physical-chemical data are not available / have not been determined.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

There are no data available on the mixture itself.

#### 10.2 Chemical stability

The product is chemically stable under normal ambient conditions (+20° C room temperature).

#### **10.3 Possibility of hazardous reactions** No known hazardous reactions.

Conditions to avoid

# 10.4 Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

#### **10.5 Incompatible materials**

Oxidising agent, strong.

### **10.6 Hazardous decomposition products**

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute effects

Based on available data, the classification criteria are not met.

#### Acute oral toxicity

•				
Parameter :	ATEmix calculated			
Exposure route :	Oral			
Species :	Rat			
Effective dose :	1250 mg/kg			
Parameter :	$LC_{50}$ ( Aromatic polymeric alkoxylate )			
Exposure route :	Oral			
Species :	Rat			
Effective dose :	300 - 2000 mg/kg			
Mixture not tested.				
Acute dermal toxicity				
Mixture not tested.				
Acute inhalation toxicity				
Mixture not tested.				
Irritant and corrosive effects				
Serious eye damage/eye irritation : Mixture not tested.				
Skin corrosion/irritation : Mixture not tested.				
Sensitisation				

Trade name : Revision date : Print date : SCHWEGO<sup>®</sup> wett 6290 30.07.2018 30.07.2018

Version (Revision) : Supersedes date :

SCHWEGMann 🗲

3.2.0 (3.1.1) 30.07.2018

# Specific effects: Mixture not tested.

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP. **Germ cell mutagenicity** 

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP. **Reproductive toxicity** 

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### STOT-single exposure

Mixture not tested.

#### STOT-repeated exposure

Mixture not tested.

#### **Aspiration hazard**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Based on available data, the classification criteria are not met.

#### 12.2 Persistence and degradability

The solvent is biodegradable.

## 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

#### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6 Other adverse effects

Ozone depletion potential (ODP): This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

### Additional ecotoxicological information

None

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

#### **Product/Packaging disposal**

Consult the appropriate local waste disposal expert about waste disposal.

Waste codes/waste designations according to EWC/AVV

16 03 05

## Waste code packaging

15 01 10

## Waste treatment options

Appropriate disposal / Package

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

#### **SECTION 14: Transport information**

### 14.1 UN number

# schwegmann 🕻

Trade name : S Revision date : S Print date :

SCHWEGO<sup>®</sup> wett 6290 30.07.2018 30.07.2018

Version (Revision) : Supersedes date : 3.2.0 (3.1.1) 30.07.2018

No dangerous goods in sense of this transport regulation.

#### 14.2 UN proper shipping name

No dangerous goods in sense of this transport regulation.

## 14.3 Transport hazard class(es)

No dangerous goods in sense of this transport regulation.

## 14.4 Packing group

No dangerous goods in sense of this transport regulation.

# **14.5 Environmental hazards** No dangerous goods in sense of this transport regulation.

**14.6 Special precautions for user** See protective measures under chapter 7 and 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not classified for this transport way.

## **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU legislation

### Authorisations and/or restrictions on use

To follow : REACH, Annex XVII, No. 3

### National regulations

Water hazard class (WGK) Class : 1 Classification according to AwSV

## Additional information

#### Registration status

Ingredients/product listed in the following inventories: EINECS/ELINCS (Europe) TSCA (USA) KECL (South Korea) ENCS (Japan) TCSI (Taiwan) AICS (Australia) IECSC (China) PICCS (Philippines) DSL (Canada) NZIOC (New Zealand)

#### 15.2 Chemical Safety Assessment

A chemical safety assessment has not been carried out for this product (mixture).

# SECTION 16: Other information

#### **Indication of changes**

15. Regulatory information

### Abbreviations and acronyms

AGS: Ausschuss für Gefahrstoffe (German Commission on Hazardous Substances) TRGS: Technical Rules of Hazardous Substances RCP: Reciprocal calculation-based procedure

- VOC: Volatile Organic Compounds
- ISO: International Standards Organization EN: European Standard
- LGK: German storage class

# schwegmann 🤄

Trade name :	SCHWEGO <sup>®</sup> wett 6290		
Revision date :	30.07.2018	Version (Revision) :	3.2.0 (3.1.1)
Print date :	30.07.2018	Supersedes date :	30.07.2018

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail) IMDG-Code: International Maritime Code for Dangerous Goods GGVSee: German Carriage of Dangerous Goods by Sea Ordinance GGVSEB: German Carriage of Dangerous Goods b road, rail and inland waterways ICAO-TI: International Civil Aviation Organization-Technical Instructions IATA-DGR: International Air Transport Association-Dangerous Goods Regulations EINECS: European Inventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances TSCA: Toxic Substances Control Act ENCS/MITI: Japanese Existing and New Chemical Substances List / Ministry of International Trade and Industry DSL: Canadian Domestic Substance List KECL/KECI: Korean Existing Chemicals List / Korea Existing Chemicals Inventory IECSC: Inventory of Existing Chemical Substances in China AICS: Australian Inventory of Chemical Substances PICCS: Philippine Inventory of Chemicals and Chemical Substances NZIoC: New Zealand Inventory of Chemicals TCSI: Taiwan's Chemical Substance Inventory WGK: German Water pollution classification AwSV: German ordinance on installations handling substances hazardous to water BetrSichV: German Ordinance on Industrial Safety and Health GefStoffV: German Hazardous Substances Ordinance PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent, very Bioaccumulative CAS: Chemical Abstracts Service EG/EU: European Union **UN: United Nations** CLP: classification labelling and packaging TWA: Time weighted Average STEL: Short term exposure limit Key literature references and sources for data <sup>1</sup> http://www.baua.de <sup>2</sup> http://publikationen.dguv.de <sup>3</sup> http://echa.europa.eu/en/candidate-list-table The product is classified and labelled according to EC legislation. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP] Classification according to Regulation (EC) № 272/2008 [CLP]: Physical hazards: Flash point (°C) Health hazards : Calculation method. Environmental hazards : Calculation method. Relevant H- and EUH-phrases (Number and full text) H302 Harmful if swallowed.

### **Training advice**

Special training for first aid necessary.

#### Additional information

Please refer to our internet website for more information: http://www.schwegmannnet.de

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.